

# Myf5-Cre

<b>Nomenclature</b>	C57BL/6Smoc- <i>Myf5</i> <sup>em1(Cre-WPRE-polyA)Smoc</sup>
<b>Cat. NO.</b>	NM-KI-200147
<b>Strain State</b>	Sperm cryopreservation

## Gene Summary

<b>Gene Symbol</b> <b>Myf5</b>	<b>Synonyms</b>	Myf-5; bHLHc2; B130010J22Rik
	<b>NCBI ID</b>	<a href="#">17877</a>
	<b>MGI ID</b>	<a href="#">97252</a>
	<b>Ensembl ID</b>	<a href="#">ENSMUSG00000000435</a>
	<b>Human Ortholog</b>	MYF5

## Model Description

A Cre-WPRE-polyA expression cassette was knocked into the Myf5 gene start codon site. Myogenic factor 5 (Myf5) belongs to the MRF family transcription factors that regulate myogenesis. It is expressed in the skeletal muscle and satellite cells. Severe loss of skeletal muscle following ablation of Myf5-expressing progenitors. This strain is useful in studying the differentiation of skeletal muscle.

**Research Application:** Cre recombinase tool

\*Literature published using this strain should indicate: Myf5-Cre mice (Cat. NO. NM-KI-200147) were purchased from Shanghai Model Organisms Center, Inc..

## Validation Data

tdTomato

Merged




Fig. 1 Cre-mediated recombination in the skeletal muscle of  $Myf5^{Cre/+}; Rosa26^{tdTomato/+}$  mouse. TdTomato(red) expression can be detected in the muscle cells of  $Myf5^{Cre/+}; Rosa26^{tdTomato/+}$  mouse.




Fig. 2 Detection of tdTomato(red) in various tissues of  $Myf5^{Cre/+}; Rosa26^{tdTomato/+}$  mice. Tdtomato was expressed in the skeletal muscle. TdTomato can also be detected in individual cells of the brain, pituitary gland, eyes, salivary gland, heart, liver, spleen, lung, kidney, colon, intestine, stomach, pancreas, reproductive system and skin. (For more detailed information please contact

our technical advisor.)

---